

BALYCHEV, O.N.; ZHILKO, E.I.; SHIBAYEV, I.P.

Device for an automatic selection of an optimum permissible
deviation of the temperature of charge-hole circumference
from its mean temperature. Sbor. trud TSNIICM no.30:28-32 '63.
(MIRA 16:10)

(Blast furnaces—Equipment and supplies)
(Automatic control)

ZHILKO, E.I.; MITROPOL'skiy, Yu.I.

Some problems in the design of arithmetic elements for control
computers. Sbor. trud TSNIICM no.30:72-81 '63. (MIRA 16:10)

(Electric computers--Design and construction)

GALYATIN, V.M.; KALINSKIY, D.N.; Prinimali uchastiye: KUROCHKIN, I.P.;
DUVANOV, A.I.; SOLOV'YEV, Yu.F.; GERASIMOV, Yu.V.; GROSVAl'D, V.G.;
SHASHKOV, V.N.; VOLKOV, A.A.; ZHILKO, E.I.; MITROPOL'SKIY, Yu.I.;
FEDOSEYEV, S.V.; GONCHAROV, F.I., rabotnik; SHEMETOV, P.Ye.,
rabotnik; CHUPRINA, I.A., rabotnik; DEMIN, P.Ye., rabotnik;
GONCHARENKO, P.V., rabotnik; SIMANYUK, G.N., rabotnik

Investigating power and technological parameters of rolling on the
2350 medium sheet mill. [Sbor. trud.] TSNIICHM no.29:138-148
'63. (MIRA 17:4)

1. Sotrudniki TSentral'nogo nauchno-issledovatel'skogo instituta
chernoy metallurgii (for Gerasimov, Grosval'd, Shashkov, Volkov,
Zhilko, Mitropol'skiy, Fedoseyev). 2. Listoprokatnyy tsekh
Magnitogorskogo metallurgicheskogo kombinata (for Goncharov,
Shemetov, Demin, Chuprina, Goncharenko, Simanyuk).

BOGDANOV, A.V.; ZHILKO, E.I. ; FEDOSEYEV, S.V.

Operating magnetic memory unit (MOZU) for a special-purpose
electronic computer. Sbor. trud TSNIICHM no.30:94-101 '63.
(MIRA 16:10)

(Magnetic memory(Calulating machines))

KALINSKIY, D.N.; ZHILKO, E.I.; GALIYATIN, V.M.

Determining the static current component of a rolling-mill motor.
Sbor. trud TSNIICHM no.30:108-115 '63. (MIRA 16:10)

(Rolling mills—Electric driving)

ZHILKO, E.I.; MITROPOL'SKIY, Yu.I.

High-reliability logical circuits equipped with ferrite transistor
cells. Sbor. trud TSNIICHM no.30:82-92 '63. (MIRA 16:10)

(Electronic computers--Design and construction)

BALYCHEV, O.N.; ZHILKO, E.I.; MAKEYEV, I.P.; SHIBAYEV, I.P.

Command and executive device for automatic control of a charge distributor depending on the gas temperature along the charge hole circumference of a blast furnace. Sbor. trud TSNICHM no.30:23-27 '63. (MIRA 16:10)

(Blast furnaces—Equipment and supplies)
(Automatic control)

ZHILKO, N.I., inzh.

Using logical circuits for controlling technological processes.
Sber.trud.TSNIICM no.14:246-257 '58. (MIRA 12:5)
(Electronic control)

ZHILKO, Vladimir Vasil'yevich; LAZARCHIK, K., red.; ZEN'KO, M., tekhn.
red.

[Erosion control in White Russia] Bor'ba s eroziiei pochv v Belorusskoi SSR. Minsk, Gos.izd-vo sel'khoz. lit-ry BSSR, 1962. 39 p.
(MIRA 15:11)

(White Russia--Erosion)

ZHILKO, V. V.

"The Role of Amelioration in Raising the Fertility of Peat-Bog Soils (on the Basis of Actual Practices of the Mayak Sotsializma Kolkhoz of Rudensk Rayon, Minsk Oblast)."
Acad. Sci. Belorussian SSR, Inst. of Amelioration, and Water and Bog Economy,
Minsk, 1955. (Dissertation for the Degree of Candidate in Agricultural Sciences)

SO: Knizhnaya Letopis', No. 22, 1955, pp 93-105

ZHIL'KOV, E.A.; STRATONOVICH, R.L.

Thermodynamics of phase transitions in certain systems. Izv. vys. ucheb.
zav.; fiz. no.6:15-18 '63. (MIRA 17:2)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova.

PHILIPPOV, E.A.

Statistical theory of the critical point. Izv. vys. ucheb.
zav.; fiz. no.4:54-60 '64 (MIRA 17:8)

Statistics for certain systems. Ibid.:168-172

1. Fizicheskiy institut imeni Lebedeva.

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2"

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2"

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2"

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2"

STRATONOVICH, R.L.; ZHIL'KOV, E.A.

Some relations between thermodynamic functions and its theoretico-informational interpretation. Vest.Mosk. un. Ser. 3: Fiz., astron.
20 no.2:44-52 Mr-Apr '65. (MIRA 18:5)

1. Kafedra obshchey fiziki dlya mekhaniko-matematicheskogo fakul'teta
Moskovskogo gosudarstvennogo universiteta.

ZHIL'KOV, E.A.

Stability of a cluster in a proton synchrotron with automatic control.
Prib. 1 tekhn. eksp. 10 no. 1: 17-20 Ja-F '65. (MIRA 18:7)

ZHIL'KOV, E.A.

Passage through the critical energy zone in a self-controlled accelerator.
Atom. energ. 18 no.6:634-636 Js '65. (MIRA 18:7)

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2

SOURCE: Atomic Energy Commission

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2"

Stability criteria are derived from the solution of the equation for

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2"

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2"

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2"

ZHIL'KOV, E.A.; LEBEDEV, A.N.

Phase stability of a system of particles in accelerators with
automatic control. Atom. energ. 18 no.1:22-28 Ja '65.

(MIRA 18:2)

ZHIL'KOV, E.A.

Phase stability of a cluster of particles in an accelerator with
automatic control. Atom. energ. 18 no.1:58-59 Ja '65.

(MIRA 18:2)

AMILADY, L. U.

Hydraulic Engineering

Hydraulic separation of soils is the basis for intensive construction by hydraulic fill. Gidr. 1 mel. 4 No. 9, 1952.

Monthly List of Russian Accessions, Library of Congress
December 1952. UNCLASSIFIED.

ZHILKOV, L.G., kand.tekhn.nauk

Suction dredge with hydrovibrators. Gidr.i mel. 14 no.11:61-63
N '62. (MIRA 15:12)

(Dredging machinery)

ZHILKOV, Leonid G., k.t.n. inzh.

Water sorting of soils. Khidrotekh i melior 9 no.7:200-201 '64.

TSAREVSKIY, Aleksey Mikhaylovich, kandidat tekhnicheskikh nauk; ZHILKOV, Leonid Georgiyevich, kandidat tekhnicheskikh nauk; PUGAVKO, Boris Yulianovich, inzhener-konstruktor; MOROZ, I.I., redaktor; ISLENT'YEVA, P.G., tekhnicheskii redaktor.

[Minor hydraulic engineering equipment; new machines for the dredging of lakes, canals and small rivers] Malaia gidromekhanizatsiia; novye mashiny dlia ochistki prudov, kanalov i malykh rek. Moskva, Izd-vo "Znanie," 1954. 31 p. (Vsesoiuznoe obshchestvo po rasprostraneniui politicheskikh i nauchnykh znani, Ser. 4, no.23) [Microfilm]
(Dredging machinery) (MIRA 7:11)

41463
S/044/62/000/009/062/069
A060/A000

16.840
AUTHORS:

Zhill', I.K., Dekol'n, P.A.

TITLE:

On the stability of forced oscillations in nonlinear automatic control systems

PERIODICAL:

Referativnyy zhurnal, Matematika, no. 9, 1962, 46, abstract 9V244 K ("Mezhdunar. federatsiya po avtomat. upr. 1-y Mezhdunar. kongress po avtomat. upr.", Moscow, AN SSSR, 1960, 12 pp, 111.)

TEXT:

In investigating forced oscillations of a system by the method of harmonic balancing, it is proposed that the following equation be analyzed graphically:

$$F = AN(A) \left| \frac{1}{N(A)} + L(j\omega) \right|, \quad (1)$$

where F is the amplitude of the perturbing input quantity, A is the amplitude of the forced oscillations, N(A) is the equivalent amplification factor of the nonlinear element, L(jω) is the phase-amplitude characteristic, instead of

Card 1/2

S/044/62/000/009/062/069
A060/A000

On the stability of forced oscillations in

analyzing the equation $F = A |1 + N(A) L(j\omega)|$, in which the product N(A) L(jω) is complicated, particularly in the presence of hysteresis (in that case N(A) is complex). It is indicated that in the sense of hysteresis in the nonlinear element the unstable forced oscillations correspond to the branch of the amplitude characteristic enclosed between the points at which their tangent is vertical. In the absence of hysteresis amplitude, jumps may be observed at a frequency ω only in the case that the point U(ω), V(ω) lies inside the circumscribing family of circles

$$U^2 + V^2 + \frac{N + (N + AN')}{N(N + AN')} U + \frac{1}{N(N + AN)} = 0, \quad (2)$$

where U and V are the real and imaginary parts of L(jω).

[Abstracter's note: Complete translation]

V.S. Vatolin

Card 2/2

ZHIL'MO LASLO

18(0) PAPER I BOOK EXPLORATION 807/1728

Исследования в области металлургии

Sovremennyye problemy metallurgii (Modern Problems in Metallurgy) Moscow, Izd-vo AN SSSR, 1958. 640 p. 3,000 copies printed.

Resp. Ed.: A.M. Sumarin. Corresponding Member, USSR Academy of Sciences; Ed. of Publishing House: V.S. Zubovnikov, and A.M. Derzav; Tech. Ed.: T.V. Polyakova.

PUBLISHER: This book is intended for scientific and technical personnel in the field of metallurgy.

CONTENTS: This is a collection of articles on certain aspects of Soviet metallurgy. The book is dedicated to academician Ivan Pavlovich Martyn on the occasion of his 75th birthday. The book is divided into seven parts. The first part consists of the articles presenting a brief account of the biographies of professional activity of the Soviet metallurgist. It includes an article by John Chipman, Nicholas Grant, and John Elliott (N.I.T., Ed.) describing their meeting with Martyn in Moscow and also his visit to the United States. The second part consists of three articles dealing with raw materials and fuels for the Soviet metallurgical industry. The third part represents the major portion of the book. It consists of 25 articles dealing with the various aspects of the metallurgy of pig iron and steel. The fourth part consists of two articles treating the metallurgy of nonferrous metals. The fifth part consists of three articles on the forming of metals. The sixth part consists of eight articles discussing certain subjects of physical metallurgy. The last part deals with general problems in the field of metallurgy. References are given after each article. No personalitities are mentioned.

TABLE OF CONTENTS:

Modern Problems in Metallurgy

Евдокимов, О.В. [Academician, Central Scientific Research Institute of Ferrous Metallurgy]. The Nature of Martensite Transformation 546

Агеев, Н.В., В.Я. Ривер, and В.А. Троицкий [Corresponding Members, AN USSR, Metallurgical Institute, Lenin A.M. Baykov, AN USSR and Physical Institute GUTAI]. The Nature of Brittleness in Steels 556

Один, Т.А. [Corresponding Member, AN USSR, Metallurgical Institute, Lenin A.M. Baykov, AN USSR] Structural Theory of the Creep of Metals 564

Жилин, Лео [Doctor of Technical Sciences, Corresponding Member of the Academy of Sciences of Hungary, Professor]. Characteristics of Structural Steel Properties as Determined by the Work of Maximum Deformation 572

Card 11/13

ZHILNENKOV, I.V.

Temperature coefficient of the dielectric constant of sorbed water. Zhur. fiz. khim. 36 no.11:2406-2412 N'62.

(MIRA 17:5)

1. Voronezhskiy sel'skokhozyaystvennyy institut.

ZHIL'NIKOV, G.G.

Economic efficiency of various mining systems. Nauch. trudy MGI no. 30:
67-74 '60. (MIRA 14:3)
(Coal mines and mining—Costs)

ACC NR: AP7005647

SOURCE CODE: UR/0413/67/000/002/0094/0094

INVENTOR: Kusherbayev, N. I.; Zhil'nikov, V. D.; Gubanov, L. A.

ORG: None

TITLE: A gravimetric correction meter. Class 42, No. 190597 [announced by the Kazakh Affiliate of the All-Union Scientific Research Institute of Exploratory Geophysics (Kazakhskiy filial Vsesoyuznogo nauchno-issledovatel'skogo instituta razvedochnoy geofiziki)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 2, 1967, 94-95


TOPIC TAGS: gravimeter, error correction

ABSTRACT: This Author's Certificate introduces a gravimetric correction meter based on Author's Certificate No. 167047. The instrument is designed for a wider distance measurement range, measurement of corrections during operation with gravitational variometers and gradiometers and also for increased productivity. The unit contains a range finder, a device for automatic summation of the quantities measured and correction scales in gravitational force derivative units.

Card 1/2

UDC: 550.831

ACC NR: AP7005647



1—range finder; 2—automatic summation unit; 3—scales

SUB CODE: 08/ SUBM DATE: 29Jan66

Card 2/2

ZHIL'NIKOV, V.I., inzh.

Hydrogenation of rosin. Masl.-zhir. prom. 27 no. 4:26-27 Ap '61.
(MIRA 14:4)

1. Voronezhskiy zhirovoy kombinat.
(Voronezh—Rosin)

ZHIL'NIKOV, V.I.; SLUKIN, A.D.; SHATALOV, V.P.; KHLOPOTUNOV, G.F.

Resin emulsifier for butadiene-styrene rubbers. Gidroliz. i
lasokhim.prom. 16 no.3:21-23 '63.
(MIRA 16:5)

1. Voronezhskiy zhirkombinat (for Zhil'nikov).
 2. Tsentral'no-Chernozemnyy sovet narodnogo khozyaystva (for Slukin).
 3. Voronezhskiy zavod sinteticheskogo kauchuka (for Shatalov, Khlopotunov).
- (Rubber, Synthetic) (Emulsifying agents)

SHATALOV, V.P.; KHLOPOTUNOV, G.F.; SLUKIN, A.D.; ZHIL'NIKOV, V.I.

Hydrogenation of rosin under atmospheric pressure. Gidroliz.
i lesokhim. prom. 16 no.6:5-7 '63. (MIRA 16:10)

Source: Vsesoyuznoye nauchno-tekhnicheskoye soveshchaniye po voprosam sinteza
novykh produktov na osnove kanifoli i skripidara. Gik'kiv 1971

"APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2

APPROVED FOR RELEASE: 07/19/2001

CIA-RDP86-00513R002064810017-2"

SHATALOV, V.P.; KHLOPOTUNOV, G.F.; SLUKIN, A.D.; ZHIL'NIKOV, V.I.;
SOTNIKOV, I.F.

Investigating the process of colophony hydrogenation on a
palladium catalyst. Oidroliz. i lesokhim. prom. 17 no.6:22-24 '64.
(MIRA 17:12)

L 34414-66

ACC NR: AT6022229

SOURCE CODE: UR/0000/66/000/000/0007/0013

AUTHOR: Kukush, V. D.; Oychinnikov, I. K.; Tsar, Ya. P.; Zhilkov, V. S.; Pasechnik, V. F.; Bobol', N. K.; Volkov, V. M.

ORG: none

TITLE: Device for measuring deviations in the power level

SOURCE: Vsesoyuznaya nauchnaya sessiya, posvyashchennaya Dnyu radio, 22d, 1966. Sektsiya radioizmereniy. Doklady. Moscow, 1966, 7-13

TOPIC TAGS: power meter, electric measuring measurement, generator

ABSTRACT: A device for measuring the output power of uhf generators is described. The device operates on the principle of a balanced static calorimeter used for precise power measurements in the centimeter and millimeter ranges. The system incorporates a balanced static calorimeter and a measuring block. The balanced calorimeter consists of two identical coaxial loads, i.e., an hf load and a compensated load. D-c heaters are incorporated directly in the loads. The measuring block consists of three basic sections: a d-c amplifier, a measuring circuit, and stabilized power supply sources. The following data were obtained in experiments with the device which characterize its efficiency: voltage standing wave ratio of the terminal section is practically

Card 1/2

L 34853-66

ACC NR: AP6021790

transformers have three terminals (two end terminals and a center tap each). The end terminals of opposite transformer sections are connected to each other through rectifier diodes. The load and a ballast resistor are tied to transformer secondary center taps connected in pairs as indicated. This arrangement increases the efficiency of the unit with respect to the reference voltage source and assures an abrupt limiting of the output voltage when the linear range of the characteristic is exceeded (see Fig. 1). Orig. art. has: 1 figure. [BD]

SUB CODE: 09/ SUBM DATE: 12Mar65/ ATD PRESS: 5032

Card 312 F1

ZHIL'NIKOVA, A., vagonovozhataya; ANASHKINA, Ye.

Comments by leaders of the competition for titles of brigades and shock workers of communist labor. Zhil.-kom. khoz. 10 no.7:3 '60.

(MIRA 13:10)

1. Upravleniye tramvaynogo khozyaystva g. Stalinska Kemerovskoy oblasti (for Zhil'nikova). 2. Master Fabriki-prachechnoy No.4 Kirovskogo rayona g. Moskvyy (for Anashkina).

(Stalinsk--Street railways--Employees) (Moscow--Laundry industry)

ZHIL'NIKOVA, A.V.; KNYAZEV, A.D.

Automatic lamp rooms in Kuznetsk Basin mines. Adm.-byt. komb.
ugol'. shakht. no.4:53-57 '61. (MIRA 15:8)

1. Gosudarstvennyy inzhenerno-proyektnyy institut po proyektirovaniyu
shakhtnogo stroitel'stva v Kuzbasse.
(Kuznetsk Basin—Mining engineering—Safety measures)

14(8)

PHASE I BOOK EXPLOITATION

80V/1585

Spravochnik po okhrane truda i tekhnike bezopasnosti (Handbook on Industrial Safety and Safety Engineering) Moscow, Metallurgizdat, 1958. 470 p. 12,000 copies printed.

Compilers: P. I. Raylo and M. Ye. Zhilo; Ed. of Publishing House: A. I. Brushteyn; Tech. Ed.: L. V. Dobuzhinskaya.

PURPOSE: The handbook is intended for those individuals in national economic councils and industrial establishments responsible for workers' safety. It may also serve as a safety engineering manual for engineering and technical personnel in ferrous metallurgy and for workers of planning organizations.

COVERAGE: This handbook is an enlarged edition of the volume published by Metallurgizdat in 1948. It contains the following material dealing with the improvement of health conditions at work: 1) instruction on the conduct of compulsory preliminary and periodical medical examinations; 2) sanitation standards when planning industrial establishments (NI01-54), with changes introduced as of Jan 1, 1958; 3) sanitation regulations governing the transport, storage, accounting, and work with radioactive substances, approved on

Card 1/17

Handbook on Industrial (Cont.)

SOV/1585

April 14, 1957. The handbook contains decrees, directives, instructions, and other data on the industrial safety of workers and safety engineering in force as of August 1, 1958. There are no references, and no personalities are mentioned.

TABLE OF CONTENTS:

Foreword

3

Ch. I. General Aspects

Excerpts from the Resolutions of the Plenum of the Central Committee of the Communist Party of the Soviet Union, adopted on December 17, 1957 5

Transition to a shorter workday and increased and regulated wages for workers, supervisors, and engineering and technical personnel in the mining, metallurgical, and coking industries 6

Industrial safety (from the Code of Labor Laws of the RSFSR) 6

Excerpts from standard rules on the internal work order for workers and employees of state, cooperative, and public establishments and enterprises 8

Excerpts from regulations on safety engineering and industrial safety 10

Regulations on the gas rescue service in establishments of the Ministry of Ferrous Metallurgy of the USSR 13

Card 2/17

Handbook on Industrial (Cont.)

SOV/1585

Instructions on the organization of hazard-preventive operations for gas rescue stations in establishments of the Ministry of Ferrous Metallurgy of the USSR	21
Instructions on the sequence of organization of volunteer gas rescue brigades (DGSD) in establishments of the Ministry of Ferrous Metallurgy of the USSR	26
Typical regulations on the pyrotechnical service in establishments of the Ministry of Ferrous Metallurgy of the USSR	29
Regulations pertaining to technical inspectors of the Council of Trade Unions (approved by the Presidium of the All-Union Central Council of Trade Unions on January 17, 1958)	33
Regulations pertaining to the Commission on Industrial Safety of the Factory, Plant, and Local (Shop) Committee (approved by the Presidium of the All-Union Central Council of Trade Unions on February 8, 1951)	40
Regulations pertaining to public inspectors of industrial safety (approved by the Presidium of the All-Union Central Council of Trade Unions on January 21, 1944)	42
Regulations pertaining to the All-Union State Sanitation Inspection (approved by the Ministry of Health of the USSR on December 14, 1949)	44

Card 3/17

Handbook on Industrial (Cont.)

SOV/1585

Ch. II. Responsibility for Violating Industrial Safety Laws, Regulations, and Standards of Safety Engineering and Industrial Hygiene	49
Responsibility of employers for crimes (from the Criminal Code of the RSFSR)	49
Measures taken in the struggle against violation of labor legislation	50
Confirmation of technical inspectors having the right to impose fines up to 500 rubles by Central Committees of Trade Unions	50
From the Civil Code of the RSFSR (Articles 404, 413, 414)	51
Court procedures in cases of subrogation (from Resolutions of the Plenum of the Supreme Court of the USSR of June 10, 1943)	52
Statute of limitation (Article 44 of the Civil Code of the RSFSR)	56
Ch. III. Appropriations for the Improvement of Sanitary Working Conditions	
Approval of the combined nomenclature of measures on protection of labor, subject to be included in a special section of the Promfinplan (Industrial and Financial Plan)	58
Nomenclature of measures on industrial safety in mining establishments of the Ministry of Metallurgical Industry	68
Card 4/ 17	

Handbook on Industrial (Cont.)

SOV/1585

Statistical accounting. Form No. 9-T for accounts of establishments on the appropriation of funds for industrial safety measures (approved by TsSU SSSR on October 2, 1957)
Instructions on the preparation of accounts on the appropriation of funds for industrial safety measures

74

75

Ch. IV. Recording and Accounting for Accidents and Occupational Diseases Including Poisoning

76

Regulations on recording and accounting for accidents related to production

76

Instructions on the sequence of notification, investigation, recording, and accounting of emergencies and accidents related to production in establishments controlled by the Gosgortekhnadzor of the USSR

85

Regulations on the notification and recording of occupational diseases, including poisoning

102

Ch. V. Medical Examinations of Workers

List of trades and professions whose workers are subject to a preliminary medical examination prior to hiring and to a periodic medical examination thereafter (Supplement No. 1 to the decree of the Ministry of Health of the USSR, dated September 7, 1957)

115

Card 5/17

Handbook on Industrial (Cont.)

80V/1585

Instructions for the conduct of preliminary and periodic medical examinations of workers (Supplement No. 2 to the decree of the Ministry of Health of the USSR dated September 7, 1957)	122
List of specialized personnel participating in the periodic medical examinations, X-rays, and laboratory tests (Supplement No. 1 to the decree of the Ministry of Health of the USSR, dated September 7, 1957)	125
List of medical disorders preventing hiring in trades where workers are subject to periodic medical examinations (Supplement No. 2 to the instructions of the Ministry of Health of the USSR, September 7, 1957)	131
Medical disorders preventing workers from being hired as stokers (approved by the Ministry of Health of the USSR on May 26, 1951)	145
Medical disorders preventing workers from being hired as operators to service pressure vessels (approved by the Ministry of Health of the USSR on June 30, 1952)	147
Ch. VI. Shorter Workday, Additional Leave, Special Clothing, Special Soap, and Milk	
Approval of the list of professions with hazardous working conditions, for which a six-hour workday has been established (Decree of the Council of the People's Commissars of July 1, 1940)	149

Card 6/17

Handbook on Industrial (Cont.)

CIA-RDP86-00513R002064810017-2

80V/1585

List of professions with hazardous working conditions, for which a six-hour workday has been established (Supplement to the Decree of the Council of the People's Commissars of July 1, 1940)	150
Additions to the list of professions with hazardous working conditions, for which subsequent decrees have established a shorter workday	155
Excerpts from rules on regular and additional leave, approved by the Council of the People's Commissars on April 30, 1930	156
Additional leave for those working under hazardous conditions (Decree of the People's Commissar of Ferrous Metallurgy of the USSR, No. 238, July 2, 1941)	157
List of professions in basic branches of ferrous metallurgy, for which additional leave has been established because of hazardous working conditions (Supplement to the Decree of the Secretariat of the All-Union Central Council of Trade Unions of August 26, 1957)	159
List of professions with hazardous working conditions, for which additional leave is granted (Supplements Nos. 1 and 2 to the Decree of the People's Commissar of Ferrous Metallurgy, No. 238, July 2, 1941)	170

Card 7/17

Handbook on Industrial (Cont.)

80V/1585

List of jobs in coking enterprises of the Ministry of Metallurgical Industry entitled to special soap
On the availability of soap on washstands in enterprises

202
204

Ch. VII. Labor Protection for Women and Minors

Article 129 of the Codex of Laws on Labor in the RSFSR

Prohibition against employing women in particularly hard and hazardous work and trades

205

List of particularly hard and hazardous work and trades prohibited to women

205

Maximum loads to be lifted and moved by adult women

206

Prohibition against employing women for underground work in the mining industry and in the construction of underground structures

207

List of positions associated with underground work which are exceptions to the rule and may be filled by women

208

List of jobs which may not be filled by workers less than 18 years of age

209

Maximum loads to be lifted and moved by adolescents

210

Leave and work conditions for youths

212

Establishment of a six-hour workday for youths from 16 to 18 years of age

214

214

Card 9/17

Handbook on Industrial (Cont.)

80V/1585

Ch. VIII. Industrial Sanitation

Sanitation norms in planning industrial establishments (approved by the State Committee of the Council of Ministers of the USSR on Construction on November 4, 1954). Reissued with changes introduced on January 1, 1958

I. Field of application	215
II. General requirements	215
III. Water supply and sewer system	215
IV. Requirement for production of buildings and installations	219
V. Requirements for auxiliary buildings of industrial establishments	222
Sanitation classification of production processes and protective zones (Supplement No. 1)	236
Sanitation rules for the drainage of waste water into publicly used reservoirs (Supplement No. 2)	252
Maximum permissible concentration of positions gases, vapors, and dusts in the air of the working zone of processing buildings (Supplement No. 3)	263
Maximum permissible concentration of nontoxic dusts in the air of the working zone of processing buildings (Supplement No. 4)	265
Card 10/17	267

Handbook on Industrial (Cont.)

80V/1585

Standards for meteorological conditions applicable to processing buildings (Supplement No. 5)	267
Calculated indoor temperatures and frequency or volume of ventilation in public facility rooms and offices in industrial establishments (Supplement No. 6)	270
Composition of public facility rooms depending on the sanitary aspects of production processes (Supplement No. 7)	271
Requirements for the soundproofing of partitions (Supplement No. 8)	274
Standards for natural lighting (Supplement No. 9)	277
Standards for artificial lighting (Supplement No. 10)	283
Composition and footage of dining areas (Supplement No. 12)	292
Indices of the maximum permissible concentration of harmful substances for a sanitary evaluation of air purity in populated areas (approved by the Deputy Chief State Sanitation Inspector of the USSR on July 16, 1956)	296
Sanitary rules for installing and equipping of ventilation openings in exhaust pipes for a natural ventilation of excessively heated processing buildings (approved by the Chief State Sanitation Inspector of the USSR on March 1, 1955)	297

Card 11/17

Handbook on Industrial (Cont.)

80V/1585

Temporary sanitary standards and rules for the reduction of noise in working areas (approved by the Chief State Sanitation Inspector on February 9, 1956)	300
Basic concepts and conventional symbols (Supplement No. 1)	309
Methods of measuring noise (Supplement No. 2)	311
Determining the maximum permissible noise level using a standard chart (Supplement No. 3)	312
Checking the conditions of speech clarity under noisy conditions (Supplement No. 4)	314
Indices to the selection of noise muffling devices, soundproofing, and an efficient planning of industrial establishment areas (Supplement No. 5)	314
Levels and characteristics of industrial noises (Supplement No. 6)	317
Temporary sanitary rules to limit the effect of vibration on workers operating pneumatic and electric tools	319
Instructions on the installation and sanitary maintenance of working areas as well as on individual preventive measures when working with mercury in laboratories (approved by the Chief State Sanitation Inspection of the USSR on May 8, 1941)	324

Card 12/17

Handbook on Industrial (Cont.)

SOV/1585

Sanitation rules on the installation and maintenance of substations with mercury arc rectifiers and premises where mercury instruments are repaired (approved by Chief State Sanitation Inspection of the USSR on December 24, 1954)	331
Rules for washing special clothing for working with mercury (Supplement No. 1)	340
Method of preparing reagent paper for determining the presence of mercury vapors (Supplement No. 2)	340
Instruction on the use of aqueous solution of ferric chloride for neutralizing metallic mercury "deposits" (Supplement No. 3)	341
Sanitation rules when employing industrial gamma ray - flaw detection (approved by the Chief State Sanitation Inspector of the USSR on February 7, 1955)	342
Sanitation rules to be observed when transporting, storing, stock controlling, and working with radioactive substances (approved by the Chief State Sanitation Inspector of the USSR on January 14, 1957)	349
I. Requirements for working areas, ventilation, and equipment	349
II. Rules when working with radioactive isotopes	351
III. Stock control, storage, and transportation of radioactive isotopes	353

Card 13/17

Handbook on Industrial (Cont.)

SOV/1585

IV. Sanitation requirements for the removal and deactivating of wastes containing radioactive isotopes	357
V. Measures for individual protection and hygiene	362
VI. Sanitation and work instructions and medical examinations	363
VII. Dosimetric control	364
VIII. Conclusions	364
Maximum permissible levels of ionizing radiation per unit of time (Supplement No. 1)	365
Protection against gamma-rays (Supplement No. 2)	373
Protection against beta-radiation (Supplement No. 3)	377
Gamma activity of some α isotopes, expressed in milligram-equivalent of radium per millicurie [without taking into account the retarding radiation of β -particles] (Supplement No. 4)	378
Account book for the stock control of isotopes, and request and report forms for obtaining radioactive isotopes (Supplement Nos. 5, 5a, 6, 7)	379
Provisional sanitation rules for laundries processing special clothing contaminated with radioactive substances (approved by the State Sanitation Inspector of the USSR on June 6, 1956)	382

Card 14/17

Handbook on Industrial (Cont.)

80V/1585

Instructions on processing special clothing and underwear contaminated with radioactive substances (Appendix)	389
Rules for installing and maintaining laboratories and stations for spectrum analysis (approved by the Presidium of the Academy of Sciences of the USSR on June 29, 1953)	396
Provisional sanitation rules for installing, equipping, and maintaining workshops manufacturing coated electrodes and fluxes for electric welding (approved by the Chief State Sanitation Inspector of the USSR on September 14, 1951)	404
Sanitation rules for storing, transport, and use of ethylated gasoline in motor transport (approved by the Chief State Sanitation Inspector of the USSR on September 9, 1955)	412
Determination of small quantities of tetraethyl lead in gasoline (Appendix)	420
Provisional sanitation rules on the use of benzene for motor transport (approved by the Chief State Sanitation Inspector of the USSR on July 4, 1949)	421
Rules for storing liquid chlorine by the user industrial establishments (Obligatory Decree of the People's Commissariat of Labor of the USSR on June 24, 1930)	423

Card 15/17

Handbook on Industrial (Cont.)

SOV/1585

Sequence in making inside repairs, cleaning, and inspection of equipment of chemical industries (Obligatory Decree of the People's Commissariat of Labor of the USSR on February 7, 1933)	429
Provisional sanitation rules for planning the equipment and upkeep of warehouses for storing strong toxic substances (approved by the Chief State Sanitation Inspector of the USSR on April 16, 1956)	430
Provisional rules for the sequence of eliminating strong toxic substances which have lost effectiveness and on measures of individual and general safety (approved by the People's Commissariat of Internal Affairs and the People's Commissariat of Public Health of the USSR on February 15, 1939)	440
Instructions on counteracting and eliminating strong toxic substances (Supplement No. 1)	444
Instructions on neutralizing containers from strong toxic substances (Supplement No. 2)	447
Industrial safety measures when working with pitches (Obligatory Decree of the People's Commissariat of Labor of the USSR of June 30, 1930 with changes entered by the Decree of the People's Commissariat of Labor of the USSR on March 21, 1933)	449

Card 16/17

Handbook on Industrial (Cont.)

SOV/1585

Instructions on preventive treatment and first aid in cases of heat prostration of workers in industrial establishments (approved by the All-Union State Sanitary Inspection on July 18, 1942)	451
Prevention of poisoning of workers performing repair work in sewers, drains, and cesspools, and inspecting water supply wells (Circular of the State Sanitation Inspection of the RSFSR of June 7, 1938)	457
Instruction on sanitary measures against suppurative diseases of the skin and subcutaneous tissue contracted in establishments	458
Supplying workers in hot workshops with carbonated salt water (Obligatory Decree of the Secretariat of the All-Union Central Council of Trade Unions of June 11, 1934)	461
Instructions for introducing efficient water drinking habits in hot workshops	462
Rules for outdoor work during the cold part of the year (Obligatory Decree of the People's Commissariat of Labor of the USSR on December 11, 1929)	463

AVAILABLE: Library of Congress

JG/mal
7-16-59

Card 17/17

SHELEKETIN, Aleksandr Vital'yevich; KARPUSHINSKIY, Naum Savvich;
ZHILO, M.Ye., red.; ISLAMT'YEVA, P.G., tekhn.red.

[Improvement of working conditions at iron ore agglomeration
factories] Osdorovlenie uslovii truda na aglomeratsionnykh
fabrikakh zheleznoi rudy. Moskva, Gos.nauchno-tekhn.isd-vo
lit-ry po chernoi i tsvetnoi metallurgii, 1960. 117 p.

(MIRA 13:12)

(Sintering--Hygienic aspects)

SHTROMBERG, Yakov Abramovich, kandidat tekhnicheskikh nauk; ZHILO, M.Ye.,
redaktor; AVRUTSKAYA, R.F., redaktor izdatel'stva; MIKHAYLOVA, V.V.,
tekhnicheskiiy redaktor

[Dust removal ventilation in rolling mills] Obespylivaniushchaya
ventiliatsiya prokatnykh stanov. Moskva, Gos.nauchno-tekhn.
izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1957. 71 p.
(MIRA 10:9)

(Factories--Heating and ventilation)

GUZEV, Yefim Matveyevich; DESYATNIK, Yudko Froimovich; ROMANOV, Petr Nikolayevich; KHOROSHILOV, Vasilii Ivanovich; ZHILO, M.Ye., redaktor; AVRUTSKAYA, R.F., redaktor izdatel'stva; KARASEV, A.I., tekhnicheskii redaktor

[Safety engineering in the preparation, loading, unloading and reprocessing of ferrous scrap] Tekhnika bezopasnosti pri zagotovke, pogruzke, razgruzke i pererabotke loma chernykh metallov. Moskva, Gos.nauchno-tekhn.isd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1957. 103 p. (MIRA 10:9)

(Scrap metal industry--Safety measures)

VOIKOV, Yuriy Nikovayevich; ZHILO, M.Ye., red.; AVRUTSKAYA, P.F., red. izd-va;
KARASEV, A.I., tekhn. red.

[Safety engineering in wire drawing] Tekhnika besopasnosti pri
volochenii provoloki. Moskva, Gos. nauchno-tekhn. izd-vo lit-ry
po cherno i svetnoi metallurgii, 1958. 86 p. (MIRA 1157)
(Wire drawing—Safety measures)

RAYLO, P.I.; ZHILO, M.Ye.; BRUSHTEYN, A.I., red. izd-va; DOBUZHINSKAYA,
L.V., tekhn. red.

[Handbook on labor protection and safety engineering] Spravochnik
po okhrane truda i tekhnike bezopasnosti [Sost. P.I. Raylo, M.E.
Zhilo] Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po chernoi i
tsvetnoi metallurgii, 1958. 470 p. (MIRA 12:1)
(Metallurgical plants--Safety measures)

ZHILO, M.Ye.

Constantly study and introduce positive results of research on
the sanitation of working conditions. Metallurg 6 no.11:35-
37 N '61. (MIRA 14:11)
(Metallurgy—Hygienic aspects)

ZHILO, M.Ye.

Practices in improving working conditions in open-hearth
furnace plants. Metallurg 7 no.8:31-33 Ag '62. (MIRA 15:9)
(Open-hearth process--Hygienic aspects)

RAYLO, P.I.; ZHILLO, M.Ye.; BRUSHTEN, A.I., red. izd-va; DOBUZHINSKAYA,
L.V., tekhn. red.

[Manual for labor protection and safety engineering] Spravochnik
po okhrane truda i tekhnike bezopasnosti. Moskva, Metallurgizdat,
1962. 478 p. (MIRA 15:6)
(Industrial safety) (Industrial hygiene)

OSTROUKHOV, Mark Yakovlevich. Primala uchastiye ZHILO, N.L.,
kand. tekhn. nauk; MANCHINSKIY, V.G., kand. tekhn. nauk,
dots., retsenzent; SHAROPIN, V.D., red.

[Slag formation process in the blast furnace] Protsess
shlakobrazovaniia v domennoi pechi. Moskva, Metallurg-
izdat, 1963. 222 p. (MIRA 18:8)

BABARYKIN, N.N.; GALATONOV, A.L.; SAGAYDAK, I.I.; SHPARBER, L.Ya.;
TSVERLING, A.L.; YAKOBSON, A.P.; BORTS, Yu.M.; ZHILO, N.L.;
KOPYRIN, I.A.; OSTROUKHOV, M.Ya.

Experimental smelting with a reduced slag output. Stal' 24
no.12:1069-1075 D '64. (MIRA 18r2)

1. Magnitorskiy metallurgicheskiy kombinat i Chelyabinskiy
nauchno-issledovatel'skiy institut metallurgii.

BOL'SHAKOVA, L.I.; ZHILO, N.I.

Effect of barium oxide on the viscosity of blast furnace slags.
Izv. vys. ucheb. zav.; Chern. met. 5 no.5:44-50 '62. (MIRA 15:6)

1. Chelyabinskiy nauchno-issledovatel'skiy institut metallurgii.
(Slag--Testing) (Barium oxide)

ZHILO, N.L.; KALININA, Z.M.

At the Chelyabinsk Metallurgical Research Institute. Stal'
22 no.9:816, 849 S '62. (MIRA 15:11)
(Chelyabinsk--Metallurgical research)

VYATKIN, G.P.; ZHILLO, N.L.; OSTROUKHOV, M.Ya.

Viscosity of high-magnesium iron slags. [Sbor. trud.]
Nauch.-issl.inst.met. no.4:26-32 '61. (MIRA 15:11)
(Slag)
(Viscosimetry)

SAGAYDAK, I.I. (Chelyabinsk); ZHILO, N.L. (Chelyabinsk); BOL'SHAKOVA, L.I.
(Chelyabinsk)

Viscosity of the blast furnace slags from the Magnitogorsk
Metallurgical Combine. Izv. AN SSSR. Otd. tekhn. nauk. Met. 1 gor.
delo no.3:50-57 My-Je '63. (MIRA 16:7)
(Magnitogorsk--Blast furnaces) (Slag) (Viscosimetry)

ZHILO, N.L.

Effect of calcium oxide and calcium fluoride on the viscosity
of slags in the system $MgO - SiO_2 - Al_2O_3$. [Sbor. trud.]
Nauch.-issl.inst.met. no.4:101-114 '61. (MIRA 15:11)
(Slag--Analysis)
(Viscosimetry)

VYATKIN, G.P.; ZHILO, N.L.; OSTROUKHOV, M.Ya.

Viscosity of high-magnesium blast furnace slags with
10 to 20% ferrous oxide. Izv. vys. ucheb. zav.; Chern.
met. 5 no.10:25-30 '62. (MIRA 15:11)

1. Nauchno-issledovatel'skiy institut metallurgii.
(Slag--Testing) (Viscosimetry)

GUL'TYAY, I.I. (Moskva); ZHILO, N.L. (Moskva); RUDNEVA, A.V. (Moskva);
SOKOLOV, G.A. (Moskva); TSYLEV, L.M. (Moskva)

Effect of potassium oxide on the viscosity of molten calcium-
alumina-silicon systems corresponding to the composition of primary
blast furnace slags. Izv. AN SSSR. Otd. tekhn. nauk Met. 1 topl. no.2:
3-7 Mr-Apr '59. (MIRA 12:6)

(Potassium oxides) (Viscosity) (Slag)

PHASE I BOOK EXPLOITATION

SOV/4558
SOV/16-S-5

Akademiya nauk SSSR. Institut metallurgii

Metallurgiya, metallovedeniye, fiziko-khimicheskiye metody issledovaniya
(Physicochemical Research Methods in Metallurgy and Metal Science) Moscow,
Izd-vo AN SSSR, 1960. 251 p. (Series: Its: Trudy, vyp. 5) Errata slip
inserted. 2,800 copies printed.

Sponsoring Agency: Akademiya nauk SSSR. Institut metallurgii imeni A.A. Baykova.

Resp. Ed.: I.P. Bardin, Academician (Deceased); Ed. of Publishing House:
V.A. Klimov; Tech. Ed.: T.P. Polenova.

PURPOSE: This collection of articles is intended for metallurgists and metal
researchers.

COVERAGE: The collection contains articles on metallurgy, metal science, and
physicochemical research methods. Separate articles discuss the structure
and properties of some metals and alloys. The effect of cold treatment and
inclusions on the properties of alloys are analyzed, and instruments and

Card 1/7

Physicochemical Research Methods (Cont.)

SOV/4558

methods used in investigating the processes occurring in metals and alloys are described. No personalities are mentioned. References accompany most of the articles.

TABLE OF CONTENTS:

Zhilo, N.L., and L.M. Tsylev. Metallurgical Properties of the Kurskaya Magnetic Anomaly, the Krivorozhskiy, and the Makeyevskiy Agglomerates	3
Levenets, N.P., and A.M. Samarin. Use of Oxygen in Converter Refining of Phosphorous Pig Iron	8
Kulikov, I.S., and A.M. Samarin. Study of the Sulfur Absorption Capacity of Magnesium Oxide and Calcium Oxide	16
Foryst, Yu. T., V.A. Mchedlishvili, and A.M. Samarin. Effect of Deoxidation by a Complex Alloy of Manganese, Silicon, and Aluminum on the Content and Composition of Oxide Inclusions in Steel	22
Khlebnikov, A. Ye. On the Problem of Utilizing the Results of Mechanical Tests for Evaluating the Technology of Smelting and Casting of Steel	36

Card 2/7

ZHILO, N.L. (Chelyabinsk)

Investigating the viscosity of synthetic and natural slags
from the silicon-chromium production. Izv. AN. SSSR. Otd.
tekh. nauk. Met. i topl. no. 3:17-24 My-Je '61. (MIRA 14:7)
(Slag--Testing) (Viscosimetry)

ZHILO, N.I.

Effect of lime and fluorite on the viscosity of slags in the
production of chromium-silicon alloys. Stal' 21 no.6:525
Je '61. (MIRA 14:5)

(Slag--Analysis)

ZHILO, N.L. (Chelyabinsk); BOL'SHAKOVA, L.I. (Chelyabinsk)

Effect of the mineralogical composition of blast furnace
slags on their physical properties. Izv. AN SSSR. Met. 1
gor. delo no.4:40-46 J1-Ag '64. (MIRA 17:9)

ZHILO, N.L.

Studying slag viscosity and the best slag composition for
making single-stage silicon-chromium alloys. Stal' 20
no.8:715 Ag '60. (MIRA 13:7)
(Silicon-chromium alloys) (Slag--Testing)

TSYLEV, L.M.; ZHILO, N.L.; SOKOLOV, G.A.

Viscosity of primary and final blast furnace foundry and converter iron
slags. Trudy Inst.met. no.3:35-51 '58. (MIRA 12:3)
(Slag--Testing) (Viscosity)

RUDNEVA, A.V.; ZHILO, N.L.; SOKOLOV, G.A.

Effect of phase constitution on the physical properties of blast furnace slag. Trudy Inst.met. no.3:52-62 '58. (MIRA 12:3)
(Slag--Testing) (Phase rule and equilibrium)

ZHILO, N.L.; SOKOLOV, G.V.; RUDNEVA, A.V.

Calculating the activation energy of viscous flow in connection with
studies on physical properties of molten slags. Trudy Inst.met. no.3:
87-97 '58. (MIRA 12:3)

(Viscosity) (Chemical reaction, Rate of) (Slag--Testing)

SOV/180-59-2-1/34

AUTHORS: Gul'tyay, I.I., Zhilo, N.L., Rudneva, A.V., Sokolov, G.A.
and Tsylev, L.M. (Moscow)

TITLE: Influence of Potassium Oxide on the Viscosity of Melts of the System Lime-Alumina-Silica in the Range Corresponding to the Compositions of Primary Blast-Furnace Slags
(Vliyaniye okisi kaliya na vyazkost' rasplavov sistemy izvest'-glinozem-kremnezem v oblasti, sootvetstvuyushchey sostavam pervichnykh domennykh shlakov)

PERIODICAL: Izvestiya Akademii Nauk SSSR, Otdeleniye Tekhnicheskikh Nauk, Metallurgiya i Toplivo, 1959, Nr 2, pp 3-7 (USSR)

ABSTRACT: Analyses of real blast-furnace primary slags (Ref 1) show an appreciable alkali content. The effect of alkalies on the physical properties of slags with 0.5 and 10% alumina has been described by some of the authors (Refs 1,2); the present work relates to melts with about 16% alumina. The experimental method used was as previously described (Refs 2,3), the apparatus (Ref 4) being slightly modified to increase thermocouple-sheath life. The range of compositions covered was: 10.8 - 43.7% CaO; 34.1 - 55.8% SiO₂; 15.0 - 17.5% Al₂O₃; 0.0 - 23.2% K₂O; 0.21 - 1.35 CaO/SiO₂. Table 1 shows the compositions

Card 1/3

SOV/180-59-2-1/34

Influence of Potassium Oxide on the Viscosity of Melts of the System
Lime-Alumina-Silica in the Range Corresponding to the Compositions
of Primary Blast-Furnace Slags

and viscosities at 1300, 1350, 1400, 1450 and 1500 °C and the temperatures at the start of crystallization and at a viscosity value of 60 poise. Fig 1 shows lines of equal compositions for different values of viscosity, 16% Al_2O_3 and 1450 °C. Fig 2 shows isotherms for the start of crystallization for 16% Al_2O_3 slags. The viscosity and temperature of the start of crystallization are shown in Figs 3 and 4, respectively, as functions of the lime : silica ratio for various K_2O contents. The results show that the introduction of K_2O into the slags produces an increase in viscosity and crystallization temperature, the effect being most marked with slags having high lime : silica ratios. Addition of K_2O also reduces the range of the most fluid compositions, while the slag-viscosity minimum rises from 8 to 13 poise. The authors have estimated the mineralogical compositions of their slags (Table 2). Slags with minimal viscosity at 1450°C are characterized by the predominance of

Card 2/3

Influence of Potassium Oxide on the Viscosity of Melts of the System
Lime-Alumina-Silica in the Range Corresponding to the Compositions
of Primary Blast-Furnace Slags

SOV/180-59-2-1/34

pseudo-wollastonite and gehlenite. With acid slag,
increasing viscosity is due to formation of anorthite
and free silica; with basic slags to formation of
larnite.

Card 3/3 There are 4 figures, 2 tables and 9 references, 5 of which
are Soviet and 4 English.

SUBMITTED: June 6, 1958

Z.H.L. o N.L.

18(5) *P.B.*

PHASE I BOOK EXPLOITATION SOV/2812

Akademiya nauk SSSR. Institut metallurgii

'Vyplavka ferrosplavov v domemoy pechi na dut'ye, obogashchemnom kislородом (Blast Furnace Production of Ferroalloys With Oxygen-enriched Blast) Moscow, Izd-vo AN SSSR, 1959. 142 p. Errata slip inserted. 2,700 copies printed.

Sponsoring Agency: Tsentral'nyy nauchno-issledovatel'skiy institut chernoy metallurgii.

Resp. Ed.: L. M. Tsylev, Doctor of Technical Sciences, Professor;
Ed. of Publishing House: A. N. Chernov; Tech. Ed.: Yu..V..Bylina.

PURPOSE: This collection of articles is intended for scientific and industrial personnel working on the introduction of intensified blast-furnace production of ferroalloys. It may also be useful to students of institutions of higher technical education.

COVERAGE: The articles in this collection present the results of investigations of blast furnace processes in the experimental production of ferroalloys, conducted at the Novo-Tul'skiy metallurgicheskii zavod (Novo-Tul'skiy Metallurgical Plant). The

Card 1/4

Blast Furnace Production (Cont.)

SOV/2812

first article discusses recent achievements in the production of ferroalloys in the Soviet Union. The other articles are concerned with such specific questions as the effect of oxygen-enriched blast on coke consumption, the connection between bridging of the charge and slag composition, analysis of reduction processes, slag formation, and viscosity of blast furnace slags. On the basis of mineralogical study of materials, conclusions are drawn concerning the limits of distribution of solid, plastic, and liquid phases of materials at points along the height of the blast furnace shaft. The effect of the composition of charge materials and melting conditions on the nature of phase transformations is established. Measures are discussed for reducing dust losses and improving conditions for cleaning waste gas in the blast furnace production of ferroalloys. No personalities are mentioned. References follow each article.

TABLE OF CONTENTS:

Bardin, I. P. Application of Oxygen in Ferrous Metallurgy

3

The author briefly outlines the developments in the application of oxygen blast in pig-iron and ferroalloy production in the USSR, beginning with the first experiments in 1932. Application on an industrial scale is still limited.

Card 2/4

Blast Furnace Production (Cont.)

SOV/2812

Tsylev, L. M. Primary Slag Formation in Blast Furnaces	8
Zhilo, N. L., and L. M. Tsylev. On Reduction Processes, Slag Formation, and the Viscosity of Primary and Final Blast Furnace Slags in the Production of Ferroalloys With Oxygen-enriched Blast	17
Rudneva, A. V. Phase Transformations in the Blast Furnace Production of Ferroalloys	38
Shapovalov, M. A. Analysis of the Blast Furnace Production of Ferroalloys With Oxygen-enriched Blast	79

According to the author, extensive tests showed the use of the oxygen-enriched blast to be very effective. Productivity of the furnace was increased 95 percent for ferromanganese and 53 percent for ferrosilicon. Consumption of coke was reduced by 290 kg. for each ton of ferromanganese produced, and by 200 kg. per ton of ferrosilicon (in comparison with figures for a furnace at an unidentified plant). The tests also demonstrated the feasibility of making silicomanganese in this

Card 3/4

Blast Furnace Production (Cont.)

SOV/2812

manner. Possibilities are said to exist for reducing the cost of oxygen by building high-output oxygen stations with steam-driven air compressors.

Gess-de-Kal've, B. A. Measures for Reducing Dust Losses and for Improving Conditions for Cleaning Waste Gas in the Blast Furnace Production of Ferroalloys

117

AVAILABLE: Library of Congress

Card 4/4

1-15-60
GO/ec

ZHILO, N.L.; TSYLEV, L.M.

Metallurgical properties of sinters produced from Kursk Magnetic
Anomaly, Krivoy Rog and Makeevka ores. Trudy Inst.met. no.5:3-7
'60. (Sintering) (Iron ores) (MIRA 13:6)

SOV/180-59-3-4/43

AUTHORS: Gul'tyay, I.I., Zhilo, N.L., Sokolov, G.A. and
Tsylev, L.M. (Moscow)

TITLE: The Influence of Magnesia on the Physical Properties
of Blast Furnace Slags

PERIODICAL: Izvestiya Akademii nauk SSSR, Otdeleniye tekhnicheskikh
nauk, Metallurgiya i toplivo, 1959, Nr 3, pp 20-24 (USSR)

ABSTRACT: Some results of an investigation of the influence of
magnesia on the viscosity and crystallisation
temperature of blast furnace slags are given. The
investigation was carried out in order to obtain an
optimum composition of blast furnace slags possessing
a minimum viscosity and maximum desulphurising power,
applicable to the operating conditions of the
Magnitogorsk Works. The viscosity of slags of the
system $\text{CaO} - \text{MgO} - 15\% \text{Al}_2\text{O}_3 - \text{SiO}_2$ was studied using
samples of industrial Magnitogorsk slags with additions
of magnesia and, in some cases, of lime and on samples of
synthetic slags made from pure oxides. The viscosity
measurements were carried out in a rotating electro-
viscosimeter designed by the Academy of Sciences of the
USSR (Ref 13) using carbon crucibles at temperatures

Card 1/2

SOV/180-59-3-4/43

The Influence of Magnesia on the Physical Properties of Blast
Furnace Slags

of 1400, 1450, 1500 and 1550°C. The experimental results are assembled in table 1. The results obtained indicated the range of compositions of slags of the quarternary system $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$ with a minimum viscosity: CaO from 27.5 to 44%; SiO_2 from 40 to 29.5%; MgO from 5 to 20% and Al_2O_3 - 15%. The ratio of CaO/SiO_2 in these slags varies from 0.80 to 1.30 and the ratio of $(\text{CaO} + \text{MgO})/(\text{SiO}_2 + \text{Al}_2\text{O}_3)$ from 0.82 to 1.30. In order to explain the influence of magnesia on the mechanism of the viscous flow of slags, calculations of the activation energy E_η were carried out for slags with minimum viscosity. The activation energy varies from 26.7 to 47.5 k cal/mol, whereupon the minimum value was possessed by a slag with a CaO/SiO_2 ratio of 1.01 and a $(\text{CaO} + \text{MgO})/(\text{SiO}_2 + \text{Al}_2\text{O}_3)$ ratio of 1.15 (Fig 4). There are 4 figures, 1 table and 13 references, 7 of which are Soviet and 6 English.

SUBMITTED: September 17, 1957

Card 2/2

2 HIL0, N. L.

18(4)

PHASE I BOOK EXPLOITATION

SOV/1896

Akademiya nauk SSSR. Institut metallurgii

Metallurgiya, metallovedeniye, fiziko-khimicheskiye metody issledovaniya
(Metallurgy, Study of Metals, and Physicochemical Methods of Investigation)
Moscow, Izd-vo AN SSSR, 308 p. (Series: Its: Trudy, vyp. 3) Errata slip
inserted. 3,000 copies printed.

Resp. Ed.: I.P. Bardin, Academician; Ed. of Publishing House: A.N. Chernov;
Tech. Ed.: I.F. Kuzmin.

PURPOSE: This book is of interest to researchers in metallurgy, as well as to the
technical personnel of the metallurgical industry.

COVERAGE: This volume of the Trudy (Transactions) of the Institut metallurgii
imeni A.A. Baykova (Metallurgical Institute im. A.A. Baykov) contains 31
studies on metallurgy, individual metals and alloys, and physicochemical
methods of investigation. Some of the studies pertain to the reduction of
titanomagnetites, the viscosity and other characteristics of blast furnace
slag, dislocation in metals, cracking of metals due to corrosion, simultaneous

Card 1/6

Metallurgy, Study of Metals (Cont.)

SOV/1896

solubility of metals at various temperatures, apparatus for measuring electrical resistance and for determining the melting point of alloys and metals, optical spectral analysis, quantitative determinations by the sublimation method, and aging of alloys. Each study is accompanied by references.

TABLE OF CONTENTS:

Reznichenko, V.A. Reducing Titanomagnetites by Means of Carbon Monoxide and Solid Carbon	3
Tsylev, L.M., N.L. Zhilo, and G.A. Sokolov. Viscosity of Natural Primary and Final Blast Furnace Slags of Cast and Conversion Iron	35
Rudneva, A.V., N.L. Zhilo, and G.A. Sokolov. Effect of Phase Composition on the Physical Properties of Blast Furnace Slags	52
Gubin, G.V., and L.M. Tsylev. On the Reduction of Ore and Carbon Granules	63
Khodak, L.Z. Shape and Dimensions of the Combustion Zone in a Blast Furnace	69

Card 2/6